Index

Symbols

.c file, 14, 54, 58
.config file, 92
.db file, 55, 59
.G file, 52, 54
.h file, 14, 54, 58
.info file, 15, 54, 56
.po file, 55, 59
_stubs.c file, 14, 17, 54, 56
_stubs.c.BAK file, 17, 54, 59
_stubs.c.delta file, 17, 54, 59
_ui.c file, 14, 17, 54, 55
_ui.h file, 14, 17, 54, 56

A

about this book
    audience, xiii
    font conventions, xvii
    manual organization, xv
    prerequisite reading, xv
action button, 62
ADJUST
    with two-button mouse, xiii
Adjust, 49
ADJUST function, xiii
Alt key
    use for Meta key, xiv
AnyEvent, 49

B

background reading, xvi
backup file
    for _stubs.c, 59
base window
    creating, 26
bin subdirectory, 91
building
    the interface, 24

C

C declarations, 58
C externs, 56
Code Generator Tool, 8
    using the File... Button, 10
    using the Properties... Button, 10
color chooser, 65 to 67
    functions
        gcc_activate, 66
        gcc_deactivate, 66
        gcc_initialize, 65
        gcc_suspend, 67
        gfm_set_action, 65

color chooser header file, 92
color manager header file, 92
colormap handler, 67
functions
gcm_color_index, 67
gcm_colormap_name, 68
gcm_initialize_colors, 67
Compiling source code, 48
compiling source code, 15, 60 to 61
connections, 49 to 50
Action menu items, 50
and the _stubs.c file, 56
CallFunction, 56, 89
ExecuteCode, 56
setting up in Devguide, 7
tutorial, 38 to 41
tying pop-up window to button, 90
using to enable and disable menu items, 89
When menu items, 49
Connections Manager Window, 7, 19
Create, 49
creating
base windows, 26
the interface, 24
custom declarations, 56
customizing the Makefile, 57

D

demo subdirectory, 91
Destroy, 49
Devguide
Build Mode, 5
configuring for GXV, 6
Connections Manager Window, 7, 19
files included with, 91 to 93
help text editor, 57
initialization functions, 56
interacting with, 2
meaning of name, 2
miscellaneous documentation, 93
New Interface..., 35
Properties window, 7
setting element colors, 65
Test Mode, 5
users, 1
Devguide and GXV, 1
doc subdirectory, 93
documentation, 93
Done, 49
DoubleClick, 49
double-click support, 92
drag and drop, 68 to 77
code sample using gdd_activate_drop_site, 75
drops consisting of multiple items, 70
functions
drag_callback, 72
drop_callback, 71
gdd_activate_drop_site, 74
gdd_drop_target_notify_proc, 75
gdd_init_dragdrop, 69
gdd_load_event_proc, 76
gdd_print_drop_info, 76
gdd_register_drop_site, 70
gdd_register_drop_target, 69
gdd_unregister_drop_site, 70
header file, 92
supporting drops onto an application, 68
three basic ways to drag data, 68
DroppedUpon, 49

E

element and function header file, 92
element creation function, 55, 56
enabling and disabling menu items, 89 to 90
Enter, 49
environment variables, 60

Exit, 49

F

F1 Key for Help, xv
file chooser, 62 to 65
  functions
    callback, 64
    filter_callback, 63
    gfm_activate, 63
    gfm_popup_objects, 62
    gfm_set_action, 65
    gfm_show_dotfiles, 64
file chooser header file
  gfm.h, 92
  gfm_ui.h, 92
files
  not altered by hand
    .info file, 57
    _ui.c, 14, 55
    _ui.h, 15, 56
    GXV-generated, 60
functions
  common to more than one .G file, 58

G

gcc, 65 to 67
gcm, 67
gdd, 68 to 77
generated files, 14
  for projects, 15
  from single GIL, 3
gfm, 62 to 65
GIL file, 52, 54, 56
  using the make command, 60
GIL syntax
  gil_syntax.doc, 93
glyph
  base window, 27
  button, 28
  checkbox setting, 32
  control area, 27
  exclusive setting, 31
  pop-up window, 35
  slider, 36
  text pane, 29
gmomerge, 59
Group package, 77 to 88
  attribute summary, 81 to 86
  data types, 87
  procedures and macros, 87
GUIDEHOME, 60
GXV
  and internationalization, 55
  and projects, 54
  called from Makefile, 60
  colormap, 68
  does not overwrite _stubs.c file, 56
  files included with, 91 to 93
  generated files, 14
  generated files for projects, 15
  generating a new Makefile, 57
  getting started, 5
  interacting with, 2
  using to generate source code files, 54
GXV and Devguide, 1
gxv command, 42, 52, 54
  on project files, 52
  using options, 12, 52, 53
    -? (-help), 53
    -d, 53
    -g (-gettext), 53
    -h (-helpfile), 53
    -i, 59
    -i (-il8n), 53
    -k (-kandr), 53
    -m (-main), 53
    -n (-nomerge), 53
    -p, 53
    -r, 53
    -s (-silent), 13, 52
    -v (-verbose), 53
    -x, 59
    -x (-xdb), 53
gxv command, 14
  on project files, 14

GXV++, 61
gxv++ command, 61
-csuffix option, 61
-hsuffix option, 61
GXV-generated source code files, 54

H

Help key
F1, xv
help text, 56
home directories, 60

I

include statements, 55
include subdirectory, 92
included files, 91 to 93
initialization function, 55
input/output routines header file, 92
interface
building, 24
Interface Browser
tutorial base window, 26
tutorial pop-up window, 34
interface code
regenerating, 17
internationalization, 59, 95 to 106
gmomerge, 105
GXV options, 101
levels of, 96
localizer, 59
message object files, 99
portable object files, 98
positioning objects explicitly, 105
sizing and positioning elements, 100
text domains, 97
translating text, 100
interpreting and using data from a drop operation, 68

K

keyboard
no Meta key, xiv
use Alt key for Meta key, xiv

L

lib subdirectory, 61, 92
libguide.a library, 61, 92
libguidexv.a library, 61, 92
libraries, 92
included in lib subdirectory, 61
libguide, 92
libguidexv, 92

M

main() function, 58
calls to XView and Devguide initialization functions, 56
make command, 6, 15, 20, 48, 60
Makefile, 14, 54, 57
customizing, 57
editing, 60
GXV called from, 60
parameters, 57 to 58
man pages, 93
man subdirectory, 93
MANPATH, 93
menu items
enabling and disabling, 89
Meta key
use Alt key, xiv
mouse
two or three button, xiii
mouse functions
ADJUST, MENU, SELECT, xiii

O

OPEN LOOK
recommendations, 24
OPEN LOOK Style Guide, 24
OpenWindows Developer's Guide
meaning of name, 2
OPENWINHOME, 60

P

parameters
  section of `Makefile`, 57
processing drops
  code necessary for, 68
`PROGRAM` parameter, 57
project syntax
  `project_syntax.doc`, 93
projects
  `.P` file, 54
  running GXV on, 54
  using the `make` command, 60

R

recommended reading, xvi
references, xvi
referencing interface objects in GXV, 16
regenerating interface code, 17
resize corners, 35

S

`-sb`, 53
setting up connections, 38 to 41
source code
  compiling, 48, 60 to 61
source code files
  adding to the Parameters list, 58
  `SOURCES.c`, 57
  the `_ui.c` file, 55
`SOURCES.c` parameter
  user-supplied source files, 57
`SOURCES.G` parameter
  GIL files listed in, 57
`SOURCES.h` parameter
  user-supplied header files, 57
`src` subdirectory, 93
`stderr`, 56
stubs merge, 88 to 89
  backup file for `_stubs.c`, 59
  does not overwrite `_stubs.c` file, 56
  potential problems, 89
  the mechanism, 88
  the `-n` (no merge) option, 89
`STUBS.G` parameter
  GIL files listed in, 57
supporting drops onto an application, 68

T

tutorial
  interface description, 23
two-button mouse, xiii
tying a pop-up window to a button, 90
`typedef`
  for window instance structures, 56

U

UI elements
  and internationalization, 59

X

X11 colors, 65, 68
XView
  `.config` file, 92
  group extension header file, 92
  initialization functions, 56