Index

Symbols

`/usr/lib`, 18, 55, 56, 65, 67
`/usr/lib/ld.so.1`, 53

A

ABI (see Application Binary Interface and System V Application Binary Interface)
Application Binary Interface, 4, 5, 94, 115
  building a conforming application, 15
ar(1), 12
archives, 14
  inclusion of shared objects in, 88
  link-editor processing, 12
  multiple passes through, 12
  naming conventions, 14
as(1), 2

B

base address, 193
binding, 1
  dependency ordering, 90
  lazy, 60
  to shared object dependencies, 86, 126
  to version definitions, 126
  to weak version definitions, 130

C

cc(1), 1, 2, 9
`COMMON`, 21, 34, 36, 150, 166
compilation environment, 1, 4, 14, 84

D

data representation, 141
debugging aids
  link-editing, 48
  runtime linking, 77
dependency ordering, 90
dlclose(3X), 66
dlerror(3X), 66
`dlfcn.h`, 66
dlopen(3X), 54, 66, 67 to 73, 131
  effects of ordering, 72
  modes
    `RTLD_GLOBAL`, 68, 73
    `RTLD_LAZY`, 69
    `RTLD_NOW`, 69
  of a dynamic executable, 68, 73
  shared object naming conventions, 85
dlsym(3X), 54, 66, 73 to 76, 132

special handle (see RTLD_NEXT)
dump(1), 5, 55, 58, 99, 101
dynamic executables, 2, 3
dynamic information tags
NEEDED, 55, 86
RPATH, 56
SONAME, 87
TEXTREL, 101
dynamic linking, 4
implementation, 167 to 176, 199

E

ELF, 2, 7, 97
(see also object files), 139
elf(3E), 5
environment variables
LD_BIND_NOT, 80
LD_BIND_NOW, 60, 80, 206
LD_DEBUG, 77
LD_DEBUG_OUTPUT, 78
LD_LIBRARY_PATH, 17, 56, 65, 67, 90
LD_OPTIONS, 10, 49
LD_PRELOAD, 62, 65
LD_PROFILE, 112
LD_PROFILE_OUTPUT, 112
LD_RUN_PATH, 19
SGS_SUPPORT, 43
error messages
link-editor
illegal argument to option, 10
illegal option, 10
incompatible options, 11
multiple instances of an option, 10
multiply defined symbols, 27
relocations against non-writable sections, 101
shared object name conflicts, 88
soname conflicts, 89
symbol not assigned to version, 40
symbol warnings, 25, 26
undefined symbols, 28
undefined symbols from an implicit reference, 29
version unavailable, 134
runtime linker
copy relocation size differences, 110
relocation errors, 61, 129
unable to find shared object, 57, 68
unable to find version definition, 128
unable to locate symbol, 75
exec(2), 7, 53, 140
executable and linking format (see ELF)

F

f77(1), 9
filters
auxiliary, 91, 95
standard, 91, 92

G

generating a shared object, 30
generating an executable, 28
generating the output file image, 42
global offset table, 42, 58, 101, 175, 213 to 215
global symbols, 21, 116, 163 to 165

I

initialization and termination, 9, 19, 64
input file processing, 11
interface
private, 116
public, 116, 249
interposition, 23, 24, 39, 59, 63, 76, 117
interpreter (see also runtime linker)

L

lazy binding, 60
ld(1), 1, 2

ld.so.1 (see also runtime linker), 1, 53
LD_BIND_NOT, 80
LD_BIND_NOW, 60, 80, 206
LD_DEBUG, 77
LD_DEBUG_OUTPUT, 78
LD_LIBRARY_PATH, 17, 56, 65, 67, 90
LD_OPTIONS, 10, 49
LD_PRELOAD, 62, 65
LD_PROFILE, 112
LD_PROFILE_OUTPUT, 112
LD_RUN_PATH, 19
ldd(1), 5, 55, 57, 59, 61, 128, 129
libld.so.1, 66
libraries
  archives, 14
  naming conventions, 14
  shared, 167, 176, 199
link-editing, 2, 162 to 176, 199
  adding additional libraries, 14
  archive processing, 12
  binding to a version definition, 126, 132
  dynamic, 167 to 176, 199
  input file processing, 11
  library input processing, 11
  library linking options, 11
  mixing shared objects and archives, 15
  multiply defined symbols, 164 to 165
  position of files on command line, 16
  search paths, 16, 17
  shared object processing, 13
link-editor, 1, 7
  debugging aids, 48
  error messages (see error messages)
  invoking directly, 8
  invoking using compiler driver, 9
  overview, 7
  sections, 7
  segments, 7
  specifying options, 10
link-editor options
  -a, 246
  -B dynamic, 15
  -B reduce, 41
  -B static, 15, 246
  -D, 49
  -d, 245, 246
  -e, 43
  -F, 92
  -f, 92
  -G, 83
  -h, 86, 138, 247
  -i, 18
  -L, 17, 245
  -l, 11, 14, 56, 84, 136, 245
  -M, 8, 32, 33, 116, 118, 132, 227, 247, 252
  -m, 14, 24
  -R, 19, 90, 247, 248
  -r, 246
  -S, 43
  -s, 42
  -t, 25, 26
  -u, 32, 131
  -Y, 17
  -z defs, 30
  -z muldefs, 27
  -z nodefs, 28, 61
  -z noversion, 119, 128
  -z text, 101, 247
link-editor output
  dynamic executables, 2
  relocatable objects, 2
  shared objects, 2
  static executables, 2
link-editor support interface
  ld_atexit(), 44
  ld_file(), 45
  ld_section(), 45
  ld_start(), 44
local symbols, 21, 163 to 165
lorder(1), 13, 50

M

mapfiles, 227 to 244
  defaults, 239

error messages, 243
example, 236
map structure, 240
mapping directives, 233
segment declarations, 229
size-symbol declarations, 236
structure, 228
syntax, 228
usage, 228
mmap(2), 53
multiply defined symbols, 42, 163 to 165

N

naming conventions
archives, 14
libraries, 14
shared objects, 14, 84
NEEDED, 55, 86
nm(1), 5, 98

O

object files, 2
base address, 193
data representation, 141
global offset table (see global offset table)
note section, 187 to 188
preloading at runtime, 62
procedure linkage table (see procedure linkage table)
program header, 189 to 192
program interpretor, 204
program loading, 195
relocation, 167 to 176, 213
section alignment, 151
section attributes, 155 to 160
section header, 148 to 160
section names, 160
section types, 152 to 160
segment contents, 194 to 195
segment permissions, 193 to 194
segment types, 190 to 193
string table, 161 to 162
symbol table, 162 to 167

P

paging, 195 to 199
performance
allocating buffers dynamically, 105
collapsing multiple definitions, 104
improving locality of references, 106, 111
maximizing shareability, 102
minimizing data segment, 103
position-independent code (see position-dependent code)
relocations, 106, 111
the underlying system, 100
using automatic variables, 104
position-independent code, 100, 203 to 213
preloading objects (see LD_PRELOAD also), 62
procedure linkage table, 43, 60, 101, 175, 215, 218
profil(2), 112
program interpreter, 53, 204 to 205
(see also runtime linker)
pvs(1), 5, 119, 122, 125, 127

R

relocatable objects, 2
relocation, 57 to 62, 106 to 111, 167 to 176
copy, 107
data references, 60
function references, 60
non-symbolic, 58, 106
runtime linker
symbol lookup, 59, 60
symbolic, 58, 106
RPATH (see also runpath), 56
RTLD_GLOBAL, 68, 73
RTLD_LAZY, 69
RTLD_NEXT (see also dependency ordering), 73

RTLD_NOW, 69
runpath, 18, 56, 65, 67, 80, 90
runtime environment, 4, 14, 84
runtime linker, 1, 3, 53, 205
  initialization and termination routines, 64
  lazy binding, 60
  loading additional objects, 62
  programming interface (see also dlopen(3X) family of routines), 65
  relocation processing, 57
  search paths, 18, 55
  security, 64
  shared object processing, 54
  version definition verification, 128
runtime linking, 3

S

SCD (see SPARC Compliance Definition)
search paths
  link-editing, 16
  runtime linker, 18, 55
section types
  .bss, 7, 104, 107
  .data, 7, 103
  .dynamic, 42, 53, 55
  .dynstr, 42
  .dynsym, 42
  .fini, 19, 64
  .got, 42, 58
  .init, 19, 64
  .interp, 53
  .plt, 43, 60, 112
  .rodata, *103*
  .strtab, 7, 42
  .symtab, 7, 42
  .text, 7
sections, 7, 97
  (see also section types)
security, 64
segments, 7, 97
  data, 98, 100
  text, 98, 100
SGS_SUPPORT, 43
shared libraries (see shared objects)
shared objects, 2, 4, 54
  as filters (see filters)
  building (see also performance), 83
  dependency ordering, 90
  explicit definition, 29
  implementation, 167 to 176, 199
  implicit definition, 29
  link-editor processing, 13
  naming conventions, 14, 84
  recording a runtime name, 86
  with dependencies, 89
size(1), 97
SONAME, 87
SPARC Compliance Definition, 5
static executables, 2
strings(1), 104
strip(1), 42
symbol reserved names, 42
  _DYNAMIC, 42
  _edata, 42
  _end, 42
  _etext, 42
  _fini, 19
  _GLOBAL_OFFSET_TABLE_, 42, 215
  _init, 19
  _PROCEDURE_LINKAGE_TABLE_, 43
  _start, 43
  main, 43
symbol resolution, 21, 42
  complex, 25
  fatal, 26
  interposition (see interposition)
  multiple definitions, 13
  simple, 22
symbols
  absolute, 34, 149, 166
  archive extraction, 12
  auto-reduction, 34, 40, 118, 252
  COMMON, 21, 34, 36, 150, 166
  defined, 21
  definition, 12, 27

existance test, 30
global, 21, 23, 116, 163 to 165
local, 21, 163 to 165
private interface, 116
public interface, 116
reference, 12, 27
runtime lookup, 69 to 77
deferred, 60
scope, 69 to 73
tentative, 12, 21, 31, 34, 36, 150
ordering in the output file, 31
realignment, 36
undefined, 12, 21, 27, 28, 30
version definitions, 130
weak, 12, 23, 30, 164
System V Application Binary Interface, 250

T

tentative symbols, 12, 21, 34, 36
TEXTREL, 101
tsort(1), 13, 50

U

undefined symbols, 27

V

versioning, 115
base version definition, 119
binding to a definition, 126, 132
defining a public interface, 40, 118
definitions, 116, 117, 126
external filename, 117, 253
generating definitions within an image, 33, 40, 117
internal definitions, 117
normalization, 127
overview, 115
runtime verification, 128, 131
sections, 160
symbol definitions, 130
virtual addressing, 195

W

weak symbols, 23, 163 to 165
undefined, 30