Tables

Table 2-1	Possible Values for Tt_address	4
Table 2-2	Possible Values for Tt_callback	4
Table 2-3	Possible Values for Tt_category	5
Table 2-4	Possible Values for Tt_class	5
Table 2-5	Possible Values for Tt_disposition	6
Table 2-6	Possible Values for Tt_filter	6
Table 2-7	Possible Values for Tt_mode	7
Table 2-8	Possible Values for Tt_scope	7
Table 2-9	Possible Values for Tt_state	8
Table 3-1	Initializing and Registering with the ToolTalk Service	10
Table 3-2	Creating, Filling In, Registering, and Destroying Message Patterns	10
Table 3-3	Declaring, Undeclaring, and Checking Ptypes	12
Table 3-4	Expressing Interest in Sessions	12
Table 3-5	Managing Session Information	13
Table 3-6	Expressing Interest in Files	13
Table 3-7	Managing Files	14

Table 3-8	Creating Messages	14
Table 3-9	Filling In Messages and Replies	14
Table 3-10	Examining Messages	16
Table 3-11	Sending and Destroying Messages	17
Table 3-12	Receiving, Replying to, Rejecting, and Destroying Messages	18
Table 3-13	Creating, Moving, and Destroying Objects	18
Table 3-14	Using ToolTalk Storage	19
Table 3-15	Examining Object Type Information	19
Table 3-16	Managing ToolTalk Storage	20
Table 3-17	Retrieving ToolTalk Error Information	20
Table 3-18	Encoding Error Values	21
Table 3-19	Leaving the ToolTalk Session	21
Table 3-20	ToolTalk Error-Handling Macros	21
Table 4-1	Possible Status of tt_bcontext_join Call	24
Table 4-2	Possible Status of tt_bcontext_quit Call	25
Table 4-3	Possible Status of tt_context_join Call	27
Table 4-4	Possible Status of tt_context_quit Call	28
Table 4-5	Possible Status of tt_icontext_join Call	49
Table 4-6	Possible Status of tt_icontext_quit Call	50
Table 4-7	Possible Status of tt_message_arg_xval Call	68
Table 4-8	Possible Status of tt_message_arg_xval_set Call	69
Table 4-9	Possible Status of tt_message_bcontext_set Call	73
Table 4-10	Possible Status of tt_message_context_bval Call	78
Table 4-11	Possible Status of tt_message_context_ival Call	79
Table 4-12	Possible Status of tt_message_context_set Call	80

Table 4-13	Possible Status of tt_message_context_val Call	82
Table 4-14	Possible Status of tt_message_context_xval Call	84
Table 4-15	Possible Status of tt_message_icontext_set Call	102
Table 4-16	Possible Status of tt_message_xarg_add Call	134
Table 4-17	Possible Status of tt_message_xcontext_set Call	135
Table 4-18	Possible Status tt_otype_opnum_callback_add Call	154
Table 4-19	Possible Status of tt_pattern_bcontext_add Call	167
Table 4-20	Possible Status of tt_pattern_context_add Call	173
Table 4-21	Possible Status of tt_pattern_icontext_add Call	180
Table 4-22	Possible Status of tt_pattern_xarg_add Call1	196
Table 4-23	Possible Status of tt_pattern_xcontext_add Call	197
Table 4-24	Possible Status of tt_optype_opnum_callback_add Call	207
Table 4-25	Possible Status of tt_session_types_load Call	223
Table 4-26	Possible Status of tt_xcontext_join Call	246
Table 4-27	Possible Status of tt_xcontext_quit Call	247
Table 5-1	Classing Engine Database	250
Table 5-2	XDR Database	251
Table 5-3	ttsession Exit Codes	265
Table 5-4	Environment Variables for ttsession	267
Table 5-5	ToolTalk Types Database Definitions	269
Table 6-1	Errors that may Occur During Initialization	275
Table 7-1	Alphabetical List of ToolTalk Error Messages	277
Table 7-2	ToolTalk Error Messages	280
Table A-1	The ToolTalk Desktop Services Message Set	289
Table A-2	Values Associated with Fields	290

Table A-3	Desktop Services Error Messages	291
Table B-1	ToolTalk Document and Media Exchange Message Set	325
Table B-2	Standard Media Types	326