Index

A

addresses, 162
addressing mode
    base and index, 13
    offset, 13
    scale, 13
    segment register, 13
`as` command, 167
assembler (as)
    addition instructions, 129
    arithmetic logical instructions, 38 to 55
    bit instructions, 100 to 103
    byte instructions, 118 to 120
    comparison instructions, 138 to 140
    constant instructions, 143 to 145
    conversion instructions, 62 to 64
    coprocessor instructions, 69
    decimal arithmetic instructions, 64 to 68
    division instructions, 133 to 134
    exchange instructions, 103, 120
    expressions, 6, 14
    flag instructions, 32 to 38
    floating point comparison instructions, 106 to 107
    floating point constant instructions, 105
floating point opcode errors, 135
floating point transcendental instructions, 104
I/O instructions, 29
immediate values, 14
input format, 2 to 4
instruction descriptions, 12 to 25
    addressing modes, 13 to 14
instructions
    addition
        fadd(), 129
        faddp(), 129
        fiadd(), 129
    arithmetic logical
        adc(), 39
        add(), 38
        and(), 52
        bound(), 51
        cmp(), 42
        dec(), 44
        inc(), 43
        neg(), 50
        not(), 50
        or(), 54

sal(), 46
sar(), 46
sbb(), 41
shl(), 46
shld(), 48
shr(), 46
shrd(), 49
sub(), 40
test(), 45
xor(), 55
arithmetic/logical, 38
bit
bsf(), 100
bsr(), 100
bt(), 101
btc(), 102
btr(), 102
bts(), 103
byte
bswap(), 120
setcc(), 118
comparison
fcom(), 138
fcomp(), 139
fcompp(), 139
ficom(), 139
ficomp(), 140
ftst(), 140
fxam(), 140
constant
fldl2e(), 143
fldl2t(), 143
fldlg2(), 144
fldln2(), 144
fldpi(), 144
fldz(), 145
conversion, 62
cbtw(), 62
cltd(), 64
cwtd(), 63
cwtl(), 63
coprocessor, 69
fwait(), 69
wait(), 69
decimal arithmetic, 64
aaa(), 65
aad(), 68
aam(), 67
aas(), 66
daa(), 64
das(), 65
division
fdiv(), 133
fdivr(), 133
fdivrp(), 134
fidiv(), 134
fidivr(), 134, 135
exchange
cmpxchg(), 103
xadd(), 120
xchg(), 120
flag
clc(), 35
cld(), 37
cli(), 36
cmc(), 35
lahf(), 32
popf(), 33
pushf(), 34
sahf(), 33
stc(), 36
std(), 38
sti(), 37
floating point comparison

fucom(), 106
fucomp(), 107
fucompp(), 107
floating point constant
fld1(), 105
fld12+(), 105
fld12e(), 105
fldlg2(), 105
fldln2(), 105
fldpi(), 105
fldz(), 105
floating point transcendental
fcos(), 104
fsin(), 104
fsincos(), 104
I/O, 29
in(), 29
ins(), 29
out(), 31
outs(), 31
integer transfer
fild(), 127
fist(), 127
fistp(), 127
interrupt
int(), 87
into(), 87
iret(), 89
jump
jcc(), 85
jcxz(), 83
jmp(), 85
ljmp(), 85
loop(), 84
loope(), 84
loopne(), 84
loopnz(), 84
loopz(), 84
load and move
lea(), 108
mov(), 109, 110, 111
movsb(), 112
movsbwl(), 112
movw(), 109
movzwl(), 112
load full pointer
lds(), 26
les(), 26
lfs(), 26
lgs(), 26
lss(), 26
miscellaneous, 122
hlt(), 124
invd(), 122
invlp(), 122
lock(), 122
nop(), 123
wbinvd(), 121
miscellaneous arithmetic operations
fabs(), 137
fchs(), 138
fprem(), 136
frndint(), 137
fscale(), 136
fsqrt(), 136
fxtract(), 137
miscellaneous floating point
fprem1(), 106
multiply
fimul(), 132
fmul(), 132
fmulp(), 132
multiply and divide

div(), 60
idiv(), 61
imul(), 57
imulb(), 57
mul(), 58
packed decimal transfer
fbld(), 128
fbst(), 128
pop
popa(), 113
pop stack into word
pop(), 27
procedure call, 78
procedure call and return
call(), 79
enter(), 82
lcall(), 78
leave(), 83
lret(), 81
ret(), 80
processor control
fclex(), 148
fdecstp(), 148
ffree(), 148
fincstp(), 149
finit(), 145
fnclex(), 148
fninit(), 145
fnop(), 145
fnsave(), 146
fnstcw(), 146
fnstenv(), 146
fnstsw(), 147
frstor(), 147
fsave(), 146
fstcw(), 146
fstenv(), 146
fstsw(), 147
wait(), 147
processor control floating point
fldcw(), 105
fldenv(), 106
protection model, 90 to 98
arpl(), 99
lar(), 96
lgdt(), 94
lidt(), 94
lldt(), 91
lmsw(), 96
lsl(), 97
ltr(), 92
sgdt(), 93
sidt(), 93
sldt(), 90
smsw(), 95
str(), 90
verr(), 92
verw(), 92
push
pusha(), 114
push stack into word
push(), 28
real transfer
fld(), 125
fst(), 125
fstp(), 126
fxch(), 126
return, 78
rotate
rcl(), 114
rcr(), 115
rol(), 116
ror(), 117
string, 69 to 77

cmps(), 71
lods(), 73
movs(), 70
rep(), 77
repnz(), 77
repz(), 77
scas(), 75
stos(), 72
xlat(), 76
subtraction
fisubr(), 131
fisubrp(), 131
fsub(), 130
fsubr(), 130
fsubrp(), 131
subp(), 130
transcendental
f2xm1(), 142
fptan(), 141, 142
fyl2x(), 142
fyl2xp1(), 143
integer transfer instructions, 127
interrupt instructions, 87 to 89
jump instructions, 83 to 85
load and move instructions, 108 to 112
miscellaneous arithmetic operations, 136 to 138
miscellaneous instructions, 121 to 124
mnemonics
addition, 129
arithmetic, 136
multiplication instructions, 132
multiply and divide instructions, 56 to 61
object file
`.comment` section, 6
operands
immediate, 10
memory, 10
overview, 10
register, 10
operations, dbx pseudo, 20
operations, general pseudo, 14 to 18
operators, 6
other floating point instructions, 106
packed decimal transfer instructions, 128
pop instructions, 113
procedure call and return instructions, 78 to 83
process control floating point instructions, 105 to 106
processor control instructions, 145 to 149
protection model instructions, 90 to 99
push instructions, 114
real transfer instructions, 125 to 126
rotate instructions, 114 to 117
segment register instructions, 26 to 28
statements
assignment, 3
empty, 3
machine operation, 3
modifying, 3
pseudo operation, 3
string instructions, 69 to 77
subtraction instructions, 130 to 131
SunOS vs. Intel, mnemonics, 21 to 149
notational coventions, 23
symbols, 4
syntax rules, 7 to 10
transcendental instructions, 141 to 143
types, 4 to 5
values, 4 to 5
assembler command line, 167
assembler command line options, 168
assembly language, 1

C

cc language driver, 167

command line options
-D, 168
-l*path*, 168
-*m*, 168
-o *outfile*, 168
-P, 169
-Q, 169
-s, 169
-U*name*, 169
-V, 169

D

default output file, 152
dis program, 169
disassembling object code, 169

E

ELF header
e_ehsize, 154
e_entry, 153
e_flag, 154
e_ident, 153
e_machine, 153
e_phentsize, 154
e_phnum, 154
e_phoff, 154
e_shentsize, 154
e_shnum, 154
e_shoff, 154
e_shstrndx, 155
e_type, 153
e_version, 153
ELF section, 159
predefined non-user section, 161
predefined user section, 160
ELF section header
sh_addr, 156
sh_addralign, 156
sh_entsize, 157
sh_flags, 156
sh_info, 156
sh_link, 156
sh_name, 155
sh_offset, 156
sh_size, 156
sh_type, 155
ELF string table, 164
ELF symbol table, 162
st_info, 163
st_name, 163
st_other, 163
st_shndx, 163
st_size, 163
st_value, 163
expression
absolute, 9
relocatable, 9

F

f77 language driver, 167
fbe command, 167
.file, 16

G

.globl, 16

H

hyphen (-), 168

I

-I option, 168
instructions
addition
fadd(), 129
faddp(), 129

fiadd(), 129
arithmetic logical
adc(), 39
add(), 38
and(), 52
bound(), 51
cmp(), 42
dec(), 44
inc(), 43
neg(), 50
not(), 50
or(), 54
sal(), 46
sar(), 46
sbb(), 41
shl(), 46
shld(), 48
shr(), 46
shrd(), 49
sub(), 40
test(), 45
xor(), 55
bit
bsf(), 100
bsr(), 100
bt(), 101
btc(), 102
btr(), 102
bts(), 103
byte
bswap(), 120
setcc(), 118
comparison
fcom(), 138
fcomp(), 139
fcompp(), 139
ficom(), 139
ficomp(), 140
ftst(), 140
fxam(), 140
constant
fldl2e(), 143
fldl2t(), 143
fldlg2(), 144
fldln2(), 144
fldpi(), 144
fldz(), 145
conversion
cbtw(), 62
cltd(), 64
cwtd(), 63
cwtl(), 63
coprocessor
fwait(), 69
wait(), 69
decimal arithmetic
aaa(), 65
aad(), 68
aam(), 67
aas(), 66
daa(), 64
das(), 65
division
fdiv(), 133
fdivr(), 133
fdivrp(), 134
fidiv(), 134
fidivr(), 134, 135
exchange
cmpxchg(), 103
xadd(), 120
xchg(), 120
flag
clc(), 35
cld(), 37
cli(), 36
cmc(), 35
lahf(), 32
popf(), 33
pushf(), 34
sahf(), 33
stc(), 36
std(), 38
sti(), 37
floating point comparison
fucom(), 106
fucomp(), 107
fucompp(), 107
floating point constant
fld1(), 105
fld12+(), 105
fld12e(), 105

fldlg2(), 105
fldln2(), 105
fldpi(), 105
fldz(), 105
floating point transcendental
fcos(), 104
fsin(), 104
fsincos(), 104
I/O
in(), 29
ins(), 29
out(), 31
outs(), 31
integer transfer
fild(), 127
fist(), 127
fistp(), 127
interrupt
int(), 87
into(), 87
iret(), 89
jump
jcc(), 85
jcxz(), 83
jmp(), 85
ljmp(), 85
loop(), 84
loope(), 84
loopne(), 84
loopnz(), 84
loopz(), 84
load and move
lea(), 108
mov(), 109, 110, 111
movsb(), 112
movsbwl(), 112
movw(), 109
movzwl(), 112
load full pointer
lds(), 26
les(), 26
lfs(), 26
lgs(), 26
lss(), 26
miscellaneous
hlt(), 124
invd(), 122
invlp(), 122
lock(), 122
nop(), 123
wbinvd(), 121
miscellaneous arithmetic operations
fabs(), 137
fchs(), 138
fprem(), 136
frndint(), 137
fscale(), 136
fsqrt(), 136
fxtract(), 137
miscellaneous floating point
fprem1(), 106
multiply
fimul(), 132
fmul(), 132
fmulp(), 132
multiply and divide
div(), 60
idiv(), 61
imul(), 57
imulb(), 57
mul(), 58
packed decimal transfer
fbld(), 128
fbst(), 128
pop
popa(), 113
pop stack into word
pop(), 27
procedure call and return
call(), 79
enter(), 82
lcall(), 78
leave(), 83
lret(), 81
ret(), 80
processor control
fclex(), 148
fdecstp(), 148
ffree(), 148
fincstp(), 149
finit(), 145
fnclex(), 148

fninit(), 145
fnop(), 145
fnsave(), 146
fnstcw(), 146
fnstenv(), 146
fnstsw(), 147
frstor(), 147
fsave(), 146
fstcw(), 146
fstenv(), 146
fstsw(), 147
wait(), 147
processor control floating point
fldcw(), 105
fldenv(), 106
protection model
arpl(), 99
lar(), 96
lgdt(), 94
lidt(), 94
lldt(), 91
lmsw(), 96
lsl(), 97
ltr(), 92
sgdt(), 93
sidt(), 93
sldt(), 90
smsw(), 95
str(), 90
verr(), 92
verw(), 92
push
pusha(), 114
push stack into word
push(), 28
real transfer
fld(), 125
fst(), 125
fstp(), 126
fxch(), 126
rotate
rcl(), 114
rcr(), 115
rol(), 116
ror(), 117
string
cmps(), 71
lods(), 73
movs(), 70
rep(), 77
repnz(), 77
repz(), 77
scas(), 75
stos(), 72
xlat(), 76
subtraction
fisubr(), 131
fisubrp(), 131
fsub(), 130
fsubr(), 130
fsubrp(), 131
subp(), 130
transcendental
f2xm1(), 142
fptan(), 141, 142
fyl2x(), 142
fyl2xp1(), 143
invoking, `as` command, 167

L

language drivers, 167
`.local`, 17

M

`-m` option, 168
machine instruction syntax, 10
derived type information, 10
destination operand, 10
register name, 10
source operand, 10
multiple files, on `as command line`, 168
multiple sections, 160
multiple strings, in string table, 165

N

`.nonvolatile`, 17

notational conventions
condition codes, 25
control register, 24
distance of relative jump, 25
immediate pointer, 25
immediate value, 24
memory operand, 24

O

operands
byte register, 11
long register, 12
segment register, 12
word register, 11
operations, general pseudo, 14
.align val, 14
.bcd val, 15
.bss, 15
.bss tag, bytes, 15
.byte val, 15
.comm name, expr, 15
.data, 15
.double val, 15
.even, 15
options
command line, 168

P

-P option, 169
predefined non-user sections, 161
predefined user sections, 160
Programming Utilities - SunOS 5.0, xviii
pseudo-operations, 14

Q

-Q option, 169

R

relocatable files, 151
relocation tables, 162

S

-s option, 169
.section, 17
section header, 155
sections, 159
statements
append comment, 3, ?? to 4
assignment, 3
empty, 3
label prefix, 3
machine operation, 3
pseudo operation, 3
string tables, 164
strings
multiple references in string table, 165
unreferenced in string table, 165
strings, multiple in string table, 165
sub-strings in string table
references to, 165
symbol, 19
symbol tables, 162
symbol types
absolute, 5
attribute, 5
bss, 5
data, 5
object file sections, 6
text, 5
undefined, 5
symbol, reserved
.bss, 4
.data, 4
.fini, 5
.init, 5
.text, 4

U

-U option, 169

V

-V option, 169

.volatile, 18

W

.weak, 18