# *Index*


## Numerics

icInt64Number, 109
icUInt64Number, 109

## A

abstract profile, 106
accuracy, optimizing for, 81
architecture, 1 to 2
architecture diagram, 2
attribute, 86
  data structures, 99 to 133
    arrays of numbers, 117
    ASCII data, 108
    ASCII data, variable-length array, 109
    binary data, 108
    binary data, variable-length array, 109
    device attributes, 108
    enums, other, 114
    number definitions, 109
    profile header flags, 108
    screening encodings, 108
    signatures, 109
    signatures, color space, 113
    signatures, color space valid PCSs note, 113
  error messages, 137
  Lut8 and Lut16 transform note, 102, 121, 127
  required and optional, 100
  value, 100

## B

band-interleaved data, 50
bibliography, 157

## C

calibration, 93
calibration, definition of
  See also profile, 20
CCP (complete color profile), definition of, 10
characterization, 93
  error messages, 139

characterization, definition of
See also profile, 20
chromaticity, 7
CIE (Commission Internationale de l'Eclairage), 10
CMM (Color Management Module)
error messages, 140
CMM (color management module)
in KCMS product overview, 4
profile, assocation with, 8
CMYK input profile (ICC), 104
CMYK output profile (ICC), 105
color blindness, 10
color profiles (See profiles)
color space conversion profile, 105
color spaces, 7
color-corrected, 3
colorimetric data, 44
colormap, 50
component array defines, 51
component-interleaved data, 49
computer-generated color data, 44
constants, 24
operation hint, 43
content hints (See hints), 18
CSP (color space profile), definition of, 9

## D

DCP (device color profile), definition of, 9
demonstration programs, 6
device attributes, 108
device link profile, 105

## E

ECP (effects color profile), definition of, 10
error format, 58
error messages, 136 to 140
attributes, 137
characterization, 139
CMM, 140
connection, 138
evaluation, 139
general failure, 136
internal, 140
IO, 136
memory, 136
pixel layout, 139
profile, 137
unimplemented features, 140
validation, 138
X11 profile, 137

## F

forward operation hints (See hints), 18

## H

hints
content, 18, 44
load, 19, 74, 79
bit mask code example, 43
bit mask values table, 42
bit positions and masks, 41
operation
forward, 43
reverse, 43
operation, forward, 15, 18
operation, gamut-test, 16

operation, reverse, 15, 18
operation, simulate, 16
hints, load, 11

## I

icAny, 109
icAsciiData, 108
icBinaryData, 108
ICC content hints, 45
ICC specification
device link profiles, 105
input profile, 103
CMYK, 104
monochrome, 104
RGB, 104
output profile, 104
CMYK, 105
monochrome, 105
RGB, 105
ICC tag, See tag, 102
icColorSpaceSignature, 113
icCurve, 120
icCurveType, 126
icData, 121
icDataType, 126
icDateTimeNumber, 120
icDateTimeType, 126
icDescStruct, 122
icEmbeddedProfileFalse, 108
icEmbeddedProfileTrue, 108
icGlossy, 108
icHeader, 132
icIlluminant, 116
icInt16Array, 118
icInt16Number, 109
icInt32Array, 119
icInt32Number, 109
icInt64Number, 119
icInt8Number, 109, 118
icLinesPerCm, 108
icLinesPerInch, 108
icLut16Type, 126
icLut8Type, 127
icMagicNumber, 108
icMatte, 108
icMeasurement, 122
icMeasurementFlare, 114
icMeasurementGeometry, 114
icMeasurementType, 128
icNamedColorType, 128
icPlatformSignature, 114
icProfile, 133
icProfileClassSignature, 113
icProfileSequenceDesc, 122
icProfileSequenceType, 128
icPrtrDefaultScreensFalse, 108
icPrtrDefaultScreensTrue, 108
icReflective, 108
icRenderingIntent, 115
icS15Fixed16ArrayType, 128
icS15Fixed16Number, 119
icScreening, 123
icScreeningData, 123
icScreeningType, 129
icSigHeaderTag, 100
icSigLabData, 113

icSigListTag, 100
icSignature, 109
icSignatureType, 129
icSigNumTag, 100
icSigXYZData, 113
icSpotShape, 115
icStandardObserver, 115
icTag, 132
icTagBase, 126
icTagList, 132
icTagSignature, 110
icTagTypeSignature, 112
icTechnologySignature, 111
icText, 124
icTextDescription, 123
icTextDescriptionType, 128
icTextType, 129
icTransparency, 108
icU16Fixed16ArrayType, 129
icU16Fixed16Number, 119
icUcrBg, 124
icUcrBgCurve, 124
icUcrBgType, 129
icUInt16ArrayType, 130
icUInt16Number, 109, 118
icUInt32ArrayType, 130
icUInt32Number, 109, 118
icUInt64ArrayType, 130
icUInt64Number, 119
icUInt8ArrayType, 130
icUInt8Number, 109, 118
icUseAnywhere, 108
icUseWithEmbeddedDataOnly, 108
icVersionNumber, 108
icViewingCondition, 124
icViewingConditionType, 130
icXYZArray, 120
icXYZNumber, 120
icXYZType, 131
interleaved data
  band, 50
  component, 49
    pixel layout diagram, 52
  planar, 50
  row, 49

## K

kcms, 6
KCMS product overview, 1 to 6
  applications, 2
  architecture, 1
  architecture diagram, 2
  C API, 2
  CMM, 4
  KCMS file system, 5
  KCMS framework, 3
  libraries, graphics and imaging, 4
  profile, 3
kcms_create.c, 6
kcms_timer.c, 6
kcms_update.c, 6
kcms_utils.c, 6
kcmstest, 6
kcmstest_tiff.c, 6
KcsAddToCurrentHints, 42
KcsAllFunc, 39

KcsAttributeBase, declaration of, 24
KcsAttributeName
in KcsGetAttribute(), 69
in KcsSetAttribute(), 86
KcsAttributes, 42
KcsAttributeType, declaration of, 26
KcsAttributeValue
in KcsGetAttribute(), 69
in KcsSetAttribute(), 86
KcsAttributeValue, declaration of, 28
KcsAttrStrLength, declaration of, 24
KcsAvailable()
declaration, 60
use of, 60
KcsCalibrationData
in KcsUpdateProfile(), 93
KcsCallbackFunction
in KcsSetCallback(), 91
KcsCallbackFunction, declaration of, 31
KcsCharacterizationData
in KcsUpdateProfile(), 93
KcsComponent, declaration of, 35
KcsConnectFunc, 39
KcsConnectProfiles()
declaration, 61
use of, 14, 16, 20, 48, 61
KcsContAll, 42, 45, 48
KcsContColorimetric, 42, 44, 48
KcsContGraphics, 42, 44, 48
KcsContImage, 42, 44, 48
KcsContUnknown, 42, 45, 48
KcsCreateProfile()
use of, 20, 36, 64
KcsCreationDesc, declaration of, 36
KcsCreationType, declaration of, 37
KcsEffect, 42
KcsErrDesc, declaration of, 37
KcsEvaluate()
declaration, 66
use of, 15, 18, 19, 31, 48, 51, 66
KcsEvaluateFunc, 39
KcsEvaluationSpeed, declaration of, 38
KcsExtendableArray, declaration of, 24
KcsExtendableMeasSet, declaration of, 24
KcsExtendablePixelLayout, declaration of, 24
KcsFileId, declaration of, 38
KcsFileProfile, 55
KcsFreeFunc, 39
KcsFreeProfile()
declaration, 68
use of, 19, 68
KcsFunction
in KcsSetCallback(), 91
KcsFunction, declaration of, 38
KcsGetAttribFunc, 39
KcsGetAttribute()
declaration, 69
get CMM list note, 64
use of, 10, 25, 44, 69
KcsGetLastError()
declaration, 73
KcsHeapApp, 42
KcsHeapSys, 42
KcsIdentifier, 39
KcsLoadFunc, 39
KcsLoadHints, 40
in KcsLoadProfile(), 74
in KcsModifyLoadHints(), 79

in KcsOptimizeProfile(), 81
use of, 11
KcsLoadHints, bit mask code example, 43
KcsLoadHints, bit mask values table, 42
KcsLoadHints, bit positions and masks diagram, 41
KcsLoadNever, 42
KcsLoadNow, 42
KcsLoadNow, use of, 38
KcsLoadProfile()
declaration, 74
memory management, 74
use of, 11, 20, 74
KcsLoadWhenIdle, 42
KcsLoadWhenNeeded, 42
KcsMaskAttr, 42
KcsMaskCont, 42
KcsMaskEffect, 42
KcsMaskLoadWhen, 42
KcsMaskLoadWhere, 42
KcsMaskLogical, 42
KcsMaskOp, 42
KcsMaskUnloadWhen, 42
KcsMeasurementBase, 46
KcsMeasurementSample, 46
KcsMemoryProfile, 55
KcsModifyLoadHints()
declaration, 79
use of, 11, 79
KcsModifyLoadHintsFunc, 39
KcsOpAll, 42, 44, 48
KcsOperationType, 40, 47
in KcsConnectProfiles(), 61
in KcsEvaluate(), 66
KcsOpForward, 42, 43, 48
KcsOpGamutTest, 42, 44, 48
KcsOpReverse, 42, 43, 48
KcsOpSimulate, 42, 48
use of, 43
KcsOpSimulate, preview printer output note, 44
KcsOptAccuracy, 49
KcsOptimizationType, 48
in KcsOptimizeProfile(), 81
KcsOptimizeFunc, 39
KcsOptimizeProfile()
declaration, 81
use of, 19, 20, 31, 48, 81
KcsOptNone, 49
KcsOptSize, 49
KcsOptSpeed, 49
KcsPixelLayout, 49 to 52
component array defines, 51
component interleaved data, pixel layout diagram, 52
in KcsEvaluate(), 66
KcsPixelLayoutSpeeds, 53
KcsProfileDesc, 54
in KcsLoadProfile(), 74
in KcsSaveProfile(), 83
use of, 20
KcsProfileId, 56
in KcsConnectProfiles(), 61
in KcsEvaluate(), 66
in KcsFreeProfile(), 68
in KcsGetAttribute(), 69
in KcsLoadProfile(), 74
in KcsModifyLoadHints(), 79

in KcsOptimizeProfile(), 81
in KcsSaveProfile(), 83
in KcsSetAttribute(), 86
in KcsUpdateProfile(), 93
KcsProfileType, 56
KcsSampleType, 57
KcsSampleType constants, 57
KcsSaveFunc, 39
KcsSaveProfile()
declaration, 83
use of, 11, 16, 20, 83
KcsSetAttribFunc, 39
KcsSetAttribute()
declaration, 86
use of, 10, 20, 25, 86
KcsSetCallback()
declaration, 91
use of, 16, 31, 91
KcsSolarisFile, 55
KcsStartOverWithThis, 42
KcsStatusId, 58
kcstest, 6
kcstest.c, 6
KcsUnloadAfterUse, 42
KcsUnloadNow, 42
KcsUnloadWhenFreed, 42
KcsUnloadWhenNeeded, 42
KcsUpdateProfile(), 93 to 98
declaration, 93
use of, 20, 47

## L

libraries
graphics and imaging, 4
lighting conditions, 10, 16
linearization tables, 94
load hints (See hints), 11
Localizing Status Messages, 141

## M

macro
KCS_DEFAULT_ATTRIB_COUNT, 25
macros, 23
monitors
effect of lighting on, 16
monochrome input profile (ICC), 104
monochrome output profile (ICC), 105

## N

naming conventions used, xviii

## O

OpForward, 15
OpGamutTest, 16
OpReverse, 15
OpSimulate, 16

## P

palette color data, 50
photographic input data, 44
pixel layout
error messages, 139
planar data, 50
print, 6
print_attributes.c, 6
print_header.c, 6
print_montbls.c, 6

profile, 7 to 21
abstract, 106
assocation with CMMs, 8
calibration, definition of, 20
CCP, 16
creating, 14
CCP code example, 17
CCP, definition of, 10
characterization, definition of, 20
color space conversion, 105
connecting, 14
converting data diagram, 12
CSP, 16
CSP, definition of, 9
DCP, 16
DCP, definition of, 9
description, 11
device link, 105
devices, associating with, 16
devices, associating with diagram, 12
ECP, definition of, 10
error messages, 137
evaluating, 15
freeing, 19
header flags, 108
identifier, 11
in KCMS product overview, 3
input
CMYK (ICC), 104
monochrome (ICC), 104
RGB (ICC), 104
loading, 11
memory management, 19
monitor, converting to, 12
operations diagram, 15
optimizing, 19, 81
accuracy, 19, 49
callback function, 19
size, 19, 49
speed, 19, 49
output
CMYK (ICC), 105
monochrome (ICC), 105
RGB (ICC), 105
saving, 11
scanner, converting from, 12
simple color data conversion code example, 13
simulated execution, 43
using to convert color data, 12 to 17

## R

README, 6
readme file, 6
rendering hints, 45
reverse operation hints (See hints), 18
RGB input profile (ICC), 104
RGB output profile (ICC), 105
row-interleaved data, 49

## S

sample programs, 6
screening encodings, 108
signatures (ICC), 109
size, optimizing for, 81
speed, optimizing for, 81

## T

tag
definition of all, 107

name, 99
required, 102
types, 107 to 124

## V

visual impairment, 10

## W

warning messages, 135