NAME

cm_delete – delete appointments from Calendar Manager database

SYNOPSIS

cm_delete [**-c** *calendar*] [**-d** *date*] [**-v** *view*]

DESCRIPTION

The **cm_delete** utility is a tty interface to Calendar Manager **cm**(1). It can be used to delete appointments from the cm database via the RPC daemon **rpc.cmsd**(1). Appointments are deleted one at a time. Each of the components of an appointment is specified using one of the command line flags followed by the desired value. The current list of appointments for the specified date (see date, view options) is displayed, numbered sequentially starting with 1. User is prompted for the number to delete. Once an appointment is deleted, the list of remaining appointments is redisplayed. At this point the user may specify another number, or just <return> to quit.

OPTIONS

–c *calendar* The name of the target calendar. Calendar names take the form "user@host", where the user is a user's login name and the host is the host machine name. An example is "felix@cat". If no target calendar is specified, calendar defaults to the current user at the current host machine.

–d *date* The deletion date for the appointment. The date is specified using the form "mm/dd/yy", although certain other references such as "today", "Tuesday", "tomorrow", etc. are correctly calculated. If no date is specified, date defaults to today's date.

–v *view* View span. This controls the span of time to display. The user may specify "day", "week", or "month". The "day" view displays all appointments for the given date (see -d option above). The "week" view displays the full week which contains the given date, starting with Sunday. The "month" view displays the entire month which contains the given date, starting with the first of the month. The default view is "day".

USAGE

The various components of an appointment are specified using command line flags followed by the desired value. Values may have embedded spaces, punctuation, etc., although quotes may be needed around strings which contain certain characters to protect them from interpretation by the local shell (e.g. /bin/csh). An argument is taken to begin at the first space after a flag and to continue until the first "-" after a space.

EXAMPLE

The simplest form of **cm_delete** has no arguments:

```
example% cm_delete
Appointments for Tuesday September 25, 1990:
    1) Appointment
    2) 10:30am-10:45am Morning Tea
    3) 2:00pm-3:00pm Staff meeting
    4) 4:30pm-5:30pm Phone home
```

```
Item to delete (number)? 2

Appointments for Tuesday September 25, 1990:
    1) Appointment
    2) 2:00pm-3:00pm Staff meeting
    3) 4:30pm-5:30pm Phone home

Item to delete (number)?


example%
```

To delete at a specific date:

```
example% cm_delete -d 09/26/90
Appointments for Wednesday September 26, 1990:
    1) 11:00am-12:00pm Appointment
    2) 11:30am-12:30pm Group Lunch
    3) 4:00pm-5:00pm Tech Interview

Item to delete (number)? 1

Appointments for Wednesday September 26, 1990:
    1) 11:30am-12:30pm Group Lunch
    2) 4:00pm-5:00pm Tech Interview

Item to delete (number)?


example%
```

To delete from a specific target calendar:

```
example% cm_delete -c felix@cat
Appointments for Tuesday September 25, 1990:
    1) Appointment
    2) 10:15am-10:30am Coffee
    3) 11:15am-11:30am Doughnuts
    4) 2:00pm-2:15pm Coffee
    5) 3:30pm-3:45pm Snack
    6) 4:30pm-4:45pm Coffee

Item to delete (number)? 5
```

```
Appointments for Tuesday September 25, 1990:
      1) Appointment
      2) 10:15am-10:30am Coffee
      3) 11:15am-11:30am Doughnuts
      4) 2:00pm-2:15pm Coffee
      5) 4:30pm-4:45pm Coffee

Item to delete (number)?


example%
```

To delete multiple appointments:

```
example% cm_delete
Appointments for Tuesday September 25, 1990:
      1) Appointment
      2) 10:15am-10:30am Coffee
      3) 11:15am-11:30am Doughnuts
      4) 2:00pm-2:15pm Coffee
      5) 3:30pm-3:45pm Snack
      6) 4:30pm-4:45pm Coffee

Item to delete (number)? 5

Appointments for Tuesday September 25, 1990:
      1) Appointment
      2) 10:15am-10:30am Coffee
      3) 11:15am-11:30am Doughnuts
      4) 2:00pm-2:15pm Coffee
      5) 4:30pm-4:45pm Coffee

Item to delete (number)? 3

Appointments for Tuesday September 25, 1990:
      1) Appointment
      2) 10:15am-10:30am Coffee
      3) 2:00pm-2:15pm Coffee
      4) 4:30pm-4:45pm Coffee

Item to delete (number)?


example%
```

FILES

/usr/spool/calendar/callog.username
/usr/etc/rpc.cmsd or **$OPENWINHOME/rpc.cmsd**

SEE ALSO

rpc.cmsd(1), **cm_insert**(1), **cm_lookup**(1), **cm**(1)