Index

A

acknowledgment message, 40
adjmsg, 352
allocb
    example use of, 100
allocb, 353
ASCII translation, 47
assembly programming, 7
asynchronous input/output
    in polling, 116
asynchronous protocol Stream
    example, 46 to 52
atomic writes, 251
audience intended, 1
autopush, 34

B

b_band, 56
    placement, 57
b_next, 56
back-enable of a queue, 78
back-enabling, 78
background job
    in job control, 119
background process group
    in job control, 119
backq, 353
bandp example, 63
bcanput, 353
bidirectional transfer
    example, 146 to 151
blocked process, 116
bufcall, 354

C

canonical processing, 47
canput, 354
character I/O, 9
character processing, 47
cloning (STREAMS), 195
close
    delayed, 36
    dismantling the Stream, 35
close system call, 9, 30
closing a Stream, 35
connld failure, 258
connld(7), 258
control,Stream head processing, 64
controlling process
    in job control, 119
controlling terminal, 119 to 123
    accessing, 123

denial of access, 123
in job control, 119
copyb, 355
copymsg, 355
copyreq structure, 327
copyresp structure, 328

D

data structure
stdata, 34
datab structure, 57
datab(9S) data structure, 13
datamsg, 356
db_base, 57
deferred, 45
delay
closing STREAMS, 36
device
close, 9
open, 9
difference between driver & module, 38
downstream
definition, 8
driver
classification, 182
declarations, 126
definition, 6, 18
ioctl control, 39
overview, 181 to 184
STREAMS, 184 to 209
writing a driver, 182
dupb, 356
dupmsg, 356

E

EBCDIC translation, 47
ECHOCTL, 264
enableok, 357
entry point address, 31
error messages
pipes, 248
esballoc, 107
esballoc, 357
EUC handling in ldterm(7), 267
expedited data, 55, 156
extended STREAMS buffers, 105 to 107
allocation, 106
freeing, 106

F

fattach(3C), 253
fdetach(3C), 254
FIFO, 250
flushing, 252
reading from, 249
FIFO (STREAMS), 247
basic operations, 248 to 251
flush, 252
queue scheduling, 45
FIFO closing, 251
file descriptor, 9
file descriptor passing, 255
flow control, 76 to 81
definition, 11
example, 81
expedited data, 79
in driver, 194
in line discipline module, 177
in module, 176 to 177
routines, 76 to 81
flush handling
description, 153 to 155
flags, 153, 344
in driver, 190
in line discipline, 155
in pipes and FIFOs, 252
priority band data, 156
read-side example, 154
write-side example, 154
flushband, 358
flushq, 358
foreground job
in job control, 119
foreground process group

in job control, 120
free routine, 107
freeb, 358
freemsg, 359
freezestr, 359
full-duplex processing, 5

G

getmsg system call, 30
getmsg(2), 61
getpmsg function, 63
getpmsg system call, 30
getq, 359
getstrm, 47
grantpt(3C), 283
with pseudo-tty driver, 279

H

hangup signals, 122
hardware emulation module, 270 to 272
high water,
low water, 55
high-priority messages, 67
hung-up Stream, 122

I

I_CKBAND, 69
I_GETBAND, 69
I_SETSIG ioctl(2), 111
I_STR, 40
I_SWROPT, 250
infinite loop
service procedure, 46, 67
input/output polling, 111 to 117
insq, 360
iocblk structure, 327
with M_IOCTL, 333
ioctl
I_FLUSHBAND, 69
ioctl
I_PUSH, 35
ioctl I_SWROPT, 250
ioctl system call definition, 30
ioctl(2)
I_POP, 35
TIOCREMOTE, 278
TIOCSIGNAL, 282
ioctl(2)
general processing, 132 to 133
I_LIST, 151
I_SETSIG events, 117
I_STR, 40
I_STR processing, 134 to 135
transparent, 135 to 151
ioctl(2)
handled by ptem(7), 275
hardware emulation module, 271
I_ATMARK, 70
I_CANPUT, 70
I_CKBAND, 69
I_GETBAND, 69
I_LINK, 216, 333
I_PLINK, 333
I_PUNLINK, 333
I_RECVFD, 255, 336
I_SENDFD, 255, 336
I_STR, 333
I_UNLINK, 221, 333
supported by ldterm(7), 266
supported by master driver, 281
isastream(3C), 255

J

job control, 119 to 122
terminology, 119 to 120

K

kernel thread, 45

L

ldterm(7), 263
LIFO

module add/remove, 38
line discipline module
close, 264
description, 263 to 270
in job control, 121
in pseudo-tty subsystem, 273
ioctl(2), 266
open, 264
link editing, 7
linkb, 361
linkblk structure, 329
linked queues, 30
linking messages, 56
lower multiplexer, 20

M

M_BREAK, 331
M_COPYIN
transparent ioctl example, 139 to 143
M_COPYIN, 342
M_COPYOUT
transparent ioctl example, 143 to 146
M_COPYOUT, 343
with M_IOCTL, 335
M_CTL, 332
with line discipline module, 263
M_DATA
example, 52
M_DATA, 14
M_DATA, 332
M_DELAY, 332
M_ERROR, 343
M_FLUSH, 344
flags, 344
in module example, 174
in pipemod, 252
packet mode, 279
M_HANGUP, 345
M_IOCACK, 346
with M_COPYOUT, 343
with M_IOCTL, 334
M_IOCDATA, 346
M_IOCNAK, 347
with M_COPYOUT, 343
with M_IOCTL, 334
M_IOCTL
example, 52
M_IOCTL, 333 to 336
transparent, 334
with M_COPYOUT, 343
M_PASSFP, 336
M_PCPROTO, 14
M_PCPROTO, 348
M_PCRSE, 348
M_PCSIG, 348
M_PROTO, 14
M_PROTO, 336 to 337
M_READ, 348
M_RSE, 337
M_SETOPTS
SO_READOPT options, 64
M_SETOPTS, 65, 338 to 341
SO_FLAG, 338 to 341
with ldterm(7), 264
M_SIG
in signaling, 118
M_SIG, 341
M_START, 349
M_STARTI, 349
M_STOP, 349
M_STOPI, 349
manipulating modules, 24
master driver
in pseudo-tty subsystem, 272
open, 279
mechanism
STREAMS overview, 29
mechanism,STREAMS overview, 29
memory-mapped I/O, 105
message, 44
priorities, 66
priority, 90
queues, 66
message (STREAMS), 13

allocation, 99
control information, 14, 94
definition, 8
direction, 60
flow, 75
freeing, 100
handled by pckt(7), 278
handled by ptem(7), 275
high priority, 54, 342 to 349
ldterm(7) read side, 265
ldterm(7) write side, 266
linking into queues, 56
M_DATA, 59
M_DATA, 14
M_PCPROTO, 59
M_PCPROTO, 14
M_PROTO, 59
M_PROTO, 14
ordinary, 54, 331 to 342
processing, 75
put back on queue, 46
recovering from allocation failure, 102
sending/receiving, 59
service interface, 82 to 94
structures, 56 to 57, 326 to 327
types, 13, 53
write offset value, 65
message block (STREAMS), 8
message copy, 67
message ordering, 59
message priorities, 66
message processing, 45
message processing routines (STREAMS), 43 to 46
design guidelines, 162 to 164
message queue (STREAMS)
priority, 15, 66 to 70
messages
high-priority, 67
zero-length, 250
minor device, 9
module, 16 to 18
character conversion, 39
CHARPROC example, 50
control information, 6
declarations, 126
definition, 6, 18
difference with driver, 38
draining, 36
inserting, 36
insertion, 7
ioctl control, 39
manipulation, 24
null example, 128
order of adding, 38
pushable example, 48
reusability, 26
status information, 6
module,adding, 35
module,CANONPROC example, 51
module,removing, 35
module_info structure, 31
module_stat structure, 31
monitor
multiple Streams, 116
monitoring a Stream, 111
MORECTL, 94
MOREDATA, 94
msgb(9S) data structure, 13
msgdsize, 361
msgpullup, 361
multiplexer
building, 212 to 220
controlling Stream, 217
data routing, 222
declarations, 229
definition, 19
design guidelines, 244
driver, 228 to 239
example, 225 to 227
lower, 211
lower connection, 223 to 224
lower disconnection, 224
lower read put procedure, 237 to 239
lower write service procedure, 237
upper, 211
upper write put procedure, 232 to 235

upper write service procedure, 236
multiplexer ID
in multiplexer building, 216
in multiplexer dismantling, 221
multiplexing STREAMS, 18 to 23

N

named pipe (see FIFO), 247
named Stream
description, 252 to 255
detaching, 254
error, 256
fattach(3C), 253
fdetach(3C), 254
file descriptor, 255
file descriptor passing, 255
isastream(3C), 255
remote, 256
named Streams
path, 253
noenable, 361
NSTRPUSH, 35

O

O_NDELAY, 36
O_NDELAY
with M_SETOPTS, 340
O_NDELAY flag, 116
O_NONBLOCK, 36
O_NONBLOCK
with M_SETOPTS, 340
O_NONBLOCK flag, 116
open
device file, 33
open system call, 9
opening a Stream, 33
opensystem call, 30
organization of guide, 1
orphaned process group
in job control, 120
other documentation, 4
OTHERQ, 361
overview
STREAMS mechanism, 29

P

packet mode
description, 278
messages, 278
panic, 59
passing, 44
passing messages, 44
path
in named Streams, 253
pckt(7), 278
pipe
adding modules to, 248
bidirectional, 247
closing, 251
creating, 248
definition, 6, 247
errors, 248
flushing, 252
reading from, 249
writing to, 250
pipe creation, 34
pipe system call, 30
PIPE_BUF, 251
pipemod STREAMS module, 252
pipes
STREAMS (see STREAMS-based pipe), 247
point-to-point, 9
poll system call, 30
pollfd structure, 114
POLLIN, 112
polling
error events, 115
events, 112
example, 113 to 116
POLLOUT, 112
POLLPRI, 112
POLLRDBAND, 112

POLLRDNORM, 112
POLLWRBAND, 112
POLLWRNORM, 112
priority band data, 55, 156
  flush handling example, 156
  ioctl(2), 69
  routines, 68
priority band,example, 63
priority bands, 66
process groub
  in job control, 120
process group leader
  in job control, 120
process group lifetime
  in job control, 120
process ID
  in job control, 120
process lifetime
  in job control, 120
processing
  canonical, 47
  character, 47
  read-side, 49
protocol
  migration, 25
  portability, 24
  substitution, 25
protocol messages,read, 65
pseudo-device driver, 20
pseudo-tty emulation module, 274 to 278
pseudo-tty subsystem, 272
  description, 272 to 284
  drivers, 279 to 282
  ldterm(7), 273
  messages, 275
  packet mode, 278
  remote mode, 278
ptem structure, 277
ptem(7), 274, 277
ptm (see master driver), 272
pts (see slave driver), 272
ptsname(3C), 283
  with pseudo-tty driver, 280
pullupmsg, 362
pushable module,example, 48
put, 362
put procedure, 13, 44
putbq, 362
putctl, 363
putctl1, 363
putmsg equivalents, 62
putmsg system call, 30
putmsg(2), 60
putnext, 363
putpmsg function, 62
putpmsg system call, 30
putq, 364

Q

q_next, 33
qband structure, 31, 72
qbufcall, 370
qenable, 365
qinit structure, 31, 34
qprocson, 365
qreply, 366
qsize, 366
qtimeout, 370
queue
  data structures, 31
  definition, 8
  entry point, 31
  flags, 72
  initializing, 33
  limits, 33
  overview, 12
  pairs, 8
  routines, 43
  usingqband information, 73
queue pairs, 30
queue structure, 70
qunbufcall, 371
quntimeout, 371
qwriter, 372

R

RD, 366
read options
  Stream head, 64
read side
  definition, 8
  ldterm(7) messages, 265
  ldterm(7) processing, 265
  put procedure, 168
read system call, 9, 30
read-side processing, 49
releasing callback requests, 105
RMODEMASK, 64
RMSGD, 64
RMSGN, 64
rmvb, 366
rmvq, 367
RNORM, 64
RPROTDAT, 65
RPROTDIS, 65
RPROTMASK, 65
RPROTNORM, 65

S

SAD (see STREAMS Administrative Driver), 397
scheduler
  STREAMS, 45
scheduler delay, 66
service interface, 23, 83 to 85
  definition, 82
  library example, 86 to 94
  rules, 94
service primitive, 85
  in service procedure, 87
service procedure, 13, 45, 80
  implementation, 46
  infinite loop, 46
service provider, 85
  accessing, 88
  closing, 91
  receiving data, 92
  sending data, 91
session
  in job control, 120
session ID
  in job control, 120
session leader
  in job control, 120
session lifetime
  in job control, 120
SIGHUP, 122
signal(2), 111
signals, 118
  extended, 118
  in job control management, 121
  in STREAMS, 118
slave driver
  in pseudo-tty subsystem, 272
  open, 280
SO_FLAG
  in M_SETOPTS, 338 to 341
SO_WROFF value, 65
st_muxrinit, 34
st_muxwinit, 34
st_rdinit, 34
st_wdinit, 34
stdata
  data structure, 34
strapush structure, 397
strbuf structure, 61
strchg(1), 151
strconf command, 151
STRCTLSZ parameter, 396
Stream
  controlling terminal, 122
  definition, 5
  hung-up, 122
  monitoring, 111
  simple, 5
Stream construction, 5, 30 to 36
  add/remove modules, 35
  close a Stream, 35
  define module/driver, 33

example, 36 to 41
open a Stream, 33
queue structures, 31
Stream head
definition, 5
intercepting I_STR, 40
processing control, 64
read options, 64
STREAMS
basic operations, 9 to 12
configuration, 383 to 399
manual pages, 401
mechanisms, 29
system calls, 9
tunable parameters, 395
typographic convention, 3
STREAMS Administrative Driver, 397 to 399
STREAMS benefits, 23 to 27
STREAMS components, 12 to 18
STREAMS data structures, 323 to 329
design, 165
dynamic allocation, 165
STREAMS debugging, 378 to 381
error and trace logging, 379 to 381
STREAMS definition, 5
STREAMS driver, 184 to 195
cloning, 195
close routine design, 161
declarations, 126
definition, 6, 18
design guidelines, 160 to 164, 209
environment, 125
flow control, 194
flush handling, 190
ioctl(2), 130 to 152
loop-around, 198 to 209
open routine design, 161
printer driver example, 187 to 190
pseudo-tty, 279 to 282
pseudo-tty subsystem master, 272
pseudo-tty subsystem slave, 272
STREAMS message queues, 14
priority, 15 to 16
STREAMS module, 16 to 18, 167 to 176
autopush facility, 396, 399
close routine design, 161
connld(7), 258
control information, 6
declarations, 126
definition, 6
design guidelines, 160 to 164, 179
environment, 125
filter, 172
flow control, 176 to 179
ioctl(2), 130 to 152
line discipline, 263
null module example, 128
open routine design, 161
ptem(7), 274
read side put procedure, 168
routines, 168 to 172
service interface example, 94 to 99
service procedure, 171
status information, 6
write side put procedure, 169
STREAMS multiplexing, 18 to 23
STREAMS queue
definition, 8
flags, 72, 73
qband structure, 72
queue structure, 70
structures, 324 to 326
using equeue information, 73
using qband information, 73
STREAMS scheduler, 45
in service procedure, 45
STREAMS system calls, 30
STREAMS utility routines, 351 to 369
STREAMS-based pipe, 6
atomic write, 251
basic operations, 248 to 251
creation, 34
creation errors, 248
definition, 247
PIPE_BUF, 251
STREAMS-based pseudo-terminal subsystem (see pseudo-tty subsystem), 272

STREAMS-based terminal subsystem (see tty subsystem), 261
streamtab structure, 34
strioctl structure, 40
strioctl structure, 328
strlog, 367
STRMSGSZ parameter, 396
stroptions structure, 329
strqget, 68
strqget, 368
strqset, 69
strqset, 368
synchronous input/output
  in polling, 112
system calls, STREAMS, 30
system crash, 59

T

terminal options
  STREAMS example, 47
termio(7), 121
termio(7)
  default flag values, 263
testb, 368
thread
  service procedure, 45
transparent ioctl
  M_COPYIN example, 139 to 143
  M_COPYOUT example, 143 to 146
  messages, 138
  processing, 135 to 151
tty subsystem
  benefits, 261
  description, 261 to 272
  hardware emulation module, 270 to 272
  ldterm(7), 263
  setup, 262

U

unbufcall, 369
unique connection (STREAMS), 256 to 259
unlinkb, 369
unlockpt(3C), 283
  with pseudo-tty driver, 280
upper multiplexer, 20
upper Stream, 19
upstream
  definition, 8

W

watermarks, 55
WR, 369
write
  less than requested, 116
write offset in messages, 65
write side
  definition, 8
  ldterm(7), 266
  put procedure, 169
write system call, 9, 30
writing to, 250

Z

zero-length messages, 250